Effectiveness and the nomogram of small incision lenticule extraction in the correction of myopic anisometropia in adults

Tong Zhang¹, Lu Zhu^{1,2}, Hang–Jia Zuo^{1,2}, Zhi–Jun Chen^{1,2}, Yan Ji^{1,2}, Xin Yang^{1,2}, Xiao–Rong Lu^{1,2}, Qiong Wu^{1,2}, Qing Wang^{1,2}, Jiu–Yi Xia^{1,2}, Meng Li^{1,2}, Chun–Jiang Zhou^{1,2}, Yao Wang^{1,2}, Ke Hu^{1,2}, Wen–Juan Wan^{1,2}

¹Chongqing Medical University, Chongqing 400000, China ²The First Affiliated Hospital of Chongqing Medical University, Chongqing Key Laboratory of Ophthalmology, Chongqing Eye Institute, Chongqing Branch (Municipality Division) of National Clinical Research Center for Ocular Diseases, Chongqing 400000, China

Co-first authors: Tong Zhang and Lu Zhu

Correspondence to: Ke Hu and Wen-Juan Wan. The First Affiliated Hospital of Chongqing Medical University, Chongqing Key Laboratory of Ophthalmology, Chongqing Eye Institute, Chongqing Branch (Municipality Division) of National Clinical Research Center for Ocular Diseases, Chongqing 400000, China. 42222@qq.com; wanwenjuancqums@163.com

Received: 2023-02-13 Accepted: 2023-08-18

Abstract

• **AIM:** To evaluate the safety, effectiveness, and predictability of small incision lenticule extraction (SMILE) for the treatment of anisometropia, and to explore the personalized design scheme of SMILE in correcting adult myopia anisometropia based on the nomogram.

• **METHODS:** It's a prospective cohort study. Patients with anisometropic myopia of refractive difference \geq 2.0 diopters (D) who underwent SMILE between September 2020 and March 2021 were enrolled. Clinical features and-visual function were assessed preoperatively and at 1wk, 1, 3, and 6mo after the operation. The examination included tests for uncorrected distance visual acuity (UDVA), corrected distance visual acuity (UDVA), corrected distance visual acuity (CDVA), refractive errors, effectiveness index (preoperative CDVA/postoperative UDVA), safety index (postoperative CDVA/preoperative CDVA), nomogram and stereoscopic function. Paired *t*-test, Wilcoxon signed-rank test and repeated-measures analyses of variance were used for continuous variables, and Pearson Chi-squared test was used for categorical variables.

• RESULTS: The study involved 45 consecutive patients

(average age: 25.0 ± 6.9 y; 82 out of 90 eyes underwent SMILE, while 8 eyes were not operated). The average preoperative spherical equivalent (SE) was -4.74 \pm 0.22 D. Six months after surgery, the effectiveness index was 1.05 \pm 0.12, and the safety index was 1.09 \pm 0.11. Seventy eyes (85.4%) exhibited SE correction error within \pm 0.5 D. The percentage of eyes with Titmus stereoscopic function equal to or less than 200" significantly increased from 55.6% preoperatively to 88.9% postoperatively (*P*<0.05). There was statistically significant difference between higher myopia eyes and contralateral eyes in average nomogram value/spherical refraction ratio.

• **CONCLUSION:** SMILE is safe, effective and predictable in correcting myopic anisometropia, and it improves stereoscopic visual function of anisometropia patients. The precise and individualized design of the nomogram is a vital element to ensure the balance of both eyes after SMILE.

• **KEYWORDS:** refractive surgery; small incision lenticule extraction; anisometropia; nomogram

DOI:10.18240/ijo.2023.11.16

Citation: Zhang T, Zhu L, Zuo HJ, Chen ZJ, Ji Y, Yang X, Lu XR, Wu Q, Wang Q, Xia JY, Li M, Zhou CJ, Wang Y, Hu K, Wan WJ. Effectiveness and the nomogram of small incision lenticule extraction in the correction of myopic anisometropia in adults. *Int J Ophthalmol* 2023;16(11):1838-1844

INTRODUCTION

A nisometropia refers to the unequal refraction of two eyes, which manifests as a difference in refractive errors or properties. Mild differences in refraction are common and usually do not cause clinical symptoms. Obvious anisometropia may cause stereoscopic dysfunction, asthenopia, strabismus, or amblyopia^[1]. Absolutely equal refraction in both eyes is rather rare in general population, according to studies conducted in different regions, the incidence of this common refractive abnormality ranges from 3.79% to 21.8%^[2-3]. Furthermore, many cases of anisometropia are ignored owing to the lack of vision abnormalities, such as amblyopia.

In addition to optical correction, refractive surgery is also one of the current ways to treat anisometropia. Refractive procedures, such as photorefractive keratectomy, laser *in situ* keratomileuses, laser-assisted subepithelial keratectomy, and phakic intraocular lens implantation treatments have been reported to be safe and effective in treating anisometropia and even anisometropic amblyopia, which have been shown to improve visual acuity, binocular vision in patients with anisometropia^[2,4].

Previous studies have well documented that small incision lenticule extraction (SMILE) has become one of the preferred surgical modalities for people suffering from anisometropia due to its safety, efficacy, predictability, and fewer postoperative flap-related complications^[1,5-8]. The implantation of implantable collamer lenses (ICL) has emerged as a promising approach for the correction of high myopic anisometropic amblyopia in adults^[9]. ICL implantation and SMILE have similar and comparable outcomes in term of the efficacy and predictability for correcting high myopia^[10]. Some children and adolescents with stereoscopic dysfunction caused by anisometropia can also benefit from various cornea refractive surgeries including SMILE and laser-assisted in situ keratomileusis^[11-12]. However, myopic anisometropia in adult patients whose visual development has been completed, the effect of SMILE on stereoscopic function has been rarely reported in the literature, so this article will evaluate the efficacy of SMILE correction of myopia refractive error aged 18 years old or older (including stereoscopic function). In addition, in order to reduce the tendency for undercorrection after cornea refractive surgery in patients with high myopia, a part of refractive surgery centers at home and abroad have included nomogram in the parameters of adjusting target spherical equivalent (SE)^[1,5,13-15]. Therefore, this study also explores the personalized design scheme of SMILE in correcting adult myopia anisometropia based on the nomogram, to inform future clinical applications of SMILE in refractive error correction.

SUBJECTS AND METHODS

Ethical Approval The study protocol was approved by the Ethics Committee of the First Affiliated Hospital of Chongqing Medical University (ethical approval number: 2020-376), which adhered the principles of the Declaration of Helsinki. After explaining the nature of the study and the possible consequences, written informed consent for the procedure was obtained from patients and their immediate family members.

Research Object This was a prospective cohort study. This study included 45 patients with myopic anisometropia. Among them, 8 eyes with emmetropia were not operated on, and 37 patients underwent SMILE treatment for both eyes. All patients

underwent SMILE at the Ophthalmology Department of the First Affiliated Hospital of Chongqing Medical University (Chongqing, China) between September 2020 and March 2021 were included.

Inclusion and Exclusion Criteria The inclusion criteria included a minimum age of 18y, no previous ocular surgery history, normal corneal topography, stable refraction for at least 2y. Patients with binocular myopic anisometropia having an SE greater than or equal to 2.0 D. The logMAR corrected distance visual acuity (CDVA) in both eyes was equal to or better than 0.1, and the corrected spherical power of each eye was within the range of -9.0 D to -0.25 D. The patients with other ocular or systemic organic diseases and pregnant or lactating women were excluded.

Nomogram To develop an individualized surgical plan, the nomogram was derived from the formula as follow:

 $SE_{error} = 0.25 + 0.11 \times SE_{preoperative}$.

And we slightly adjusted according to age, sex, accommodation status, surgeon's experience and hospital environment, *etc.*^[16-17]. A respectively lower nomogram was designed in eyes with higher myopia compared with that of the contralateral eyes.

Surgical Methods Three days before surgery, all surgical patients were administered sodium hyaluronate eye drops (10 mL: 0.1%, Hylo-comod[®], RSAPHARM Arzneimittel GmbH, Industriestraße, Saarbrücken, Germany) and levofloxacin eye drops (5 mL: 24.4 mg, Cravit[®], Santen, Osaka, Japan) four times a day. Intraoperatively, oxybuprocaine hydrochloride eye drops (20 mL: 80 mg, Benoxil[®], Santen, Osaka, Japan) were administered twice for topical anesthesia. VisuMax femtosecond laser system (Carl Zeiss Meditec AG, Jena, Germany) was used for surgical refractive corrections for all patients with pulse frequency of 500 kHz and pulse energy of 135 nJ. The spot size was 4.3 µm and optical zone diameter ranges from 6.0 to 6.7 mm. The corneal cap diameter ranged from 6.8 to 7.5 mm, and cap thickness was 120 µm. The incision length was 2.8 mm, position of incision was 90°, and the edge cutting angle was 90°. After the canning, microseparator was used to separate and lift the edge of the corneal cap, and separate the front and back surfaces of the lens in turn. Then, the stromal lens was removed by micro tweezers from the small incision and the wholeness of stromal lens was carefully checked. Before the surgery was completed, extra water was absorbed by sterile sponge.

Postoperative Treatment Tobramycin and dexamethasone eye drops (TobraDex[®], Novartis, Rijksweg, Puurs, Belgium) were given immediately after surgery for four times, every ten minutes. Other postoperative regimens were follows: 0.5% levofloxacin eye drops, four times a day for 21d; tobramycin dexamethasone eye drops, four times a day for one week, and then replaced with loteprednol eye drops (5 mL: 0.5%,

Lotemax[®], Bausch & Lomb Incorporated, Tampa, Florida, USA), 3 times a day for one week, then twice a day for one week, and then once a day for one week; sodium hyaluronate eye drops, 4 times a day for one month.

Follow-up Indicators Before the operation, patients underwent the anterior segment under slit lamp examination and the fundus examination under the indirect ophthalmoscope, and compound tropicamide eye drops (1 mL, Zhuobi'an[®], Sinqi Pharmaceutical, Shenyang, China) used to dilate the pupil. The distance vision both before and after the operation were detected with the logMAR chart; corneal topography was obtained by performing Pentacam[®]AXL panoramic biometer (Oculus GmbH, Wetzlar, Germany); and Titmus Stereoacuity Test was applied to examine stereoscopic function. The dilated and small pupil tests were run by the same experienced optometrist. SE was obtained by adding the sum of the sphere power with half of the cylinder power.

Tests were conducted before the surgery and follow-ups were arranged at 1wk, 1, 3, and 6mo after surgery. Followup indicators include: uncorrected distance visual acuity (UDVA), CDVA, refractive error, effectiveness index (defined as preoperative CDVA/postoperative UDVA), safety index (defined as postoperative CDVA/ preoperative CDVA), safety index (defined as postoperative CDVA/ preoperative CDVA)^[18], stereoscopic function, nomogram and complications. All missing data came from lost follow-up, and the small number of lost samples did not affect statistical analysis method.

Statistical Analysis SPSS 17.0 (IBM Corp., Armonk, NY, USA) software was used to perform data processing and analysis. Data are presented as mean±standard deviation (SD). The Shapiro-Wilk test was used for normal distribution analysis. Paired *t*-test and repeated-measures analyses of variance were applied to continuous normally distributed variables, and Wilcoxon signed-rank test was used for groups with non-normally distributed continuous variable. Pearson Chi-squared test were used for categorical variables. P values<0.05 were considered indicative of statistical significance. PASS 15.0 (NCSS, Utah, USA) software was used to estimate the sample size. The sample size was calculated to detect a tolerance of 0.05; set alpha=0.05 (twosided), with a confidence level $(1-\alpha)$ of 95%; assuming SD of efficacy index and safety index after SMILE to 0.2 according to previous study^[19], and 80 eyes were required.

RESULTS

Baseline Information The study included 45 consecutive patients (average age: $25.0\pm6.9y$). Among them, 24 (53.3%) were males and 21 (46.7%) were females. We finally evaluated 82 out of 90 eyes (45 patients) undergoing SMILE, while 8 emmetropia eyes was not operated, and 37 patients underwent SMILE treatment for both eyes. The average preoperative SE was -4.74±0.22 D (range -1.13 to -9.63 D). The average of



Figure 1 Cumulative percentage of preoperative logMAR CDVA and postoperative UDVA Preop.: Preoperative; Postop.: Postoperative; CDVA: Corrected distance visual acuity; UDVA: Uncorrected distance visual acuity.

refractive error of eyes with higher myopia (-6.37±1.43 D) was significantly higher than that of eyes with lower myopia (-3.48±1.41 D, P<0.001). Among 37 patients who underwent surgery in both eyes, 22 cases (59.5%) had higher myopia in the right eye, which was significantly higher than that in the left eye (15 cases, 19.5%; P=0.104). During the operation, mild diffuse opaque bubble layer (OBL) occurred in 2 eyes (2.4%). There were no other intraoperative or postoperative complications.

Effectiveness of Surgery Preoperative logMAR CDVA of all eyes was better than 0.1, with 37 (45.1%) of them having a better value than -0.1. Six months after the operation, all eyes had postoperative UDVA of 0.1 or better; 79 eyes (96.3%) had UDVA of 0.0 or better, 58 (70.7%) eyes had UDVA of -0.1 or better, and 3 eyes (3.7%) had UDVA of -0.2 or better (Figure 1). The effectiveness index 6mo after surgery was 1.05±0.12.

Surgery Safety One week after the surgery, 75 (91.5%) eyes had logMAR CDVA equal or better than that under the preoperative situation; the number of eyes with CDVA equal or better than that under the preoperative situation at post-operative 1, 3, and 6mo were 78 (95.1%), 80 (97.6%), and 81 (98.8%), respectively. The number of eyes with CDVA that gained 1 line and 2 lines six months postoperatively were 33 (40.2%) and 1 (1.2%) respectively. The number of eyes whose CDVA decrease 1 line six months after surgery was 1 (1.2%). None of the cases showed CDVA decreasing 2 lines or more (Figure 2). The safety index was 1.09 ± 0.11 six months after the surgery.

Predictability of Surgery Six months after the surgery, 70 (85.4%) eyes showed SE correction error within ± 0.5 D; 11 (13.4%) eyes showed SE correction error ranging from ± 0.5 D to 1.0 D (Figure 3). The linear regression equation of actual SE and pre-corrected SE at 6mo after surgery is y=0.9340x-0.3635 (R^2 =0.9582, P<0.0001; Figure 4).

The numbers and percentages of eyes with different levels of postoperative astigmatism six months after surgery were as follows: 0.00-0.50 D, 66 eyes (80.5%); 0.51-1.00 D, 16 eyes



Figure 2 The changes in lines of logMAR CDVA after SMILE surgery Preop.: Preoperative; Postop.: Postoperative; CDVA: Corrected distance visual acuity.



Postoperative spherical equivalent refraction (D)

Figure 3 Accuracy of spherical equivalent refraction after SMILE surgery Preop.: Preoperative; Postop.: Postoperative.



Figure 4 Achieved versus attempted change in SE 6mo after SMILE surgery SE: Spherical equivalent; D: Diopter.

(19.5%); 1.01-1.50 D and >1.51 D, none (Figure 5).

Stability of Surgery Figure 6 shows the SE refraction changes over time after SMILE surgery. Compared with the preoperative data, there was a significant reduction in the mean SE at 1wk, 1, 3, and 6mo postoperatively (P<0.05). However, no statistical difference of mean SE was detected between different points of time after operation.

Comparison Between Eyes with Higher Myopia and



Refractive astigmatism (D)

Figure 5 Percentage of preoperative and postoperative refractive astigmatism Preop.: Preoperative; Postop.: Postoperative; D: Diopter.



Figure 6 Stability of spherical equivalent refraction.

Table	1 The	refractive	outcomes	of	higher	eyes	versus	contral	ateral
eyes b	efore	and after	SMILE						

Parameters	Higher eyes	Contralateral eyes	Statistics	Р
Spherical equivalent (D)				
Preop.	-6.37±1.43	-3.48±1.41	<i>Z</i> =-5.304	0.001
Postop. 6mo	-0.05±0.43 ^ª	0.09±0.41 ^a	t=-1.551	0.13
Sphere (D)				
Preop.	-5.89±1.33	-2.89±1.33	<i>t</i> =-21.001	0.001
Postop. 6mo	0.00±0.36ª	0.14±0.24 ^a	<i>t</i> =-1.854	0.072
Cylinder (D)				
Preop.	-0.96±0.65	-1.17±0.73	<i>Z</i> =-2.070	0.038
Postop. 6mo	-0.09±0.46 ^a	-0.09±0.55ª	<i>t</i> =0.009	0.993
Nomogram/S (%)	12.14 ±1.25	16.67±14.37	<i>Z</i> =-5.243	0.001
Effectiveness index	1.05±0.13	1.08±0.13	<i>Z</i> =-0.522	0.601
Safety index	1.09±0.10	1.10±0.13	<i>Z</i> =-0.439	0.660

Preop.: Preoperative; Postop.: Postoperative; ^aP<0.001.

Contralateral Eyes Table 1 shows the outcomes of higher eyes versus contralateral eyes before and after SMILE among 37 patients who underwent SMILE in both eyes. The average nomogram value/spherical refraction ratio of the eyes in higher myopia was 12.14%±1.25%; this data in contralateral eyes was 16.67%±14.37%; there was significant difference

between higher myopia eyes and contralateral eyes (P<0.001). Six months after surgery, the average SE of eyes with higher myopia was -0.05±0.43 D, while that of the contralateral eyes was 0.09±0.41 D, suggesting no significant difference between the two eyes in this respect (P=0.13). Also, the difference of effectiveness index as well as safety index between higher eyes versus contralateral eyes postoperatively was not statistically meaningful.

Stereoscopic Function We recorded the Titmus stereoscopic examination of 45 patients. On preoperative Titmus stereoscopic examination, 12 patients (26.7%) had a stereoscopic function \geq 600", and 25 cases (55.6%) had a stereoscopic function \leq 200". Six months after surgery, the proportion of eyes with stereoscopic vision \geq 600" (2 cases, 4.4%) was significantly reduced (*P*=0.006), and the proportion of eyes with stereoscopic vision equal or less than 200" (40 cases, 88.9%) was significantly increased (*P*<0.001).

DISCUSSION

Refractive surgery poses unique advantages over other treatment of anisometropia. Compared with spectacles, it could offer better visual quality and cause less optically-induced aniseikonia. Also, it may protect patients against infection when compared with contact lenses. Characterized as no corneal flap-related complications^[20], SMILE is reported to induce less damage to the corneal subepithelial stromal nerve plexus, have a mild surgical response, and it is less likely to cause dry eyes^[21-22]. Therefore, it is gradually becoming one of the mainstream refractive surgeries. We found that SMILE is not only a safe, effective and predictable method for correcting adult myopic anisometropia, but it also alleviates refractive differences and in turn helps improve the stereoscopic function of these patients. Nomogram design may provide better refractive outcomes for SMILE surgery with anisometropic eyes.

Studies have demonstrated the long-term safety and effectiveness of SMILE^[23-26], and it is a promising modality for improving adult myopic anisometropia^[27]. Ang et al^[19] pointed out that, one year after SMILE, in 98.0% of cases, the CDVA was equal to or better than that before surgery, and the efficacy index was 0.99±0.20. In Taneri et al's^[28] study, at 3mo after SMILE surgery 96.0% cases had CDVA equal or better than before the surgery, and the mean efficacy index was 1.03. Our results reported that the data was 98.8% 6mo after SMILE surgery, and the efficacy index was 1.05, both similar to previous results, thereby confirming the safety and efficacy of SMILE in correcting myopia refractive error in adults. In addition, the excellent performance of SMILE surgery in terms of predictability has also been confirmed by previous studies. Zhong et al^[25] and Sánchez-González et al^[29] reported that SE correction error within ±0.5 D was 81.4%-83.9% and 83.0%,

respectively, which is also very close to our 85.4%, confirming the predictability of SMILE in the correction of myopic anisometropia.

Of note, obvious anisometropia may cause amblyopia, whereas some patients with anisometropia only present with stereoscopic dysfunction^[1]. Indeed, there is considerable inter-individual variability with respect to tolerance to anisometropia, and lower levels of anisometropia do not cause obvious abnormalities in visual development^[30-31]. Nonetheless, a significant proportion of patients with anisometropia are affected by stereoscopic dysfunction. It was reported that children and adolescents with myopic anisometropic amblyopia exhibited different degrees of improvements of their already lost stereoscopic function after refractive surgical correction^[12,32-33]. There is also a possibility that anisometropia correction surgery improves vision and visual function in adults with anisometropic amblyopia, even though they have missed the critical period of visual development^[2,12]. These potential visual abnormalities, visual fatigue and other discomforts are often overlooked in daily lives. It underlines the importance of paying more attention to individuals who have normal vision but exhibit abnormal visual function. Our study shows that SMILE surgery can improve stereoscopic function in adults with myopic anisometropia, which is consistent with previous views.

In previous studies on corneal refractive procedures, including SMILE for the correction of myopic anisometropia, it was found that eyes with high myopia were more likely to be under corrected, and the effectiveness was worse than that of the contralateral eyes^[13,34-35]. This may be related to the asymmetric eye adjustment ability of the eyes with anisometropia, the greater movement adjustment ability of the eyes with higher myopia, and the thicker ciliary muscle of the eyes with higher myopia in case of anisometropia^[13]. Nowadays, more attention has been paid to nomogram to adjust the corrected refractive error of SMILE. Different nomogram designs for anisometropia can help improve the predictability of surgery. It has been previously reported that the tendency of undercorrection after corneal refractive surgery in high myopia patients disappeared after adjusting results according to nomogram^[13-15,36]. In our study, we determined the individualized nomogram before surgery according to the factors such as preoperative sphere refraction, age, sex, surgeon's experience, hospital environment, etc. Furthermore, no difference was observed between the SE of eyes with higher myopia and that of the contralateral eyes. Furthermore, other factors that affect the predictability of SMILE (including astigmatism and axial, corneal curvature, tear film etc.) deserve our attention^[17,37]. Application of artificial intelligence technology in the nomogram design of SMILE surgery will

provide a more accurate solution for the individualized design of the surgery for patients with anisometropia^[38].

Nevertheless, the study still has some limitations. Nomogram for the correction of myopic anisometropia based on deep learning algorithms, large sample size and long-term follow up should be conducted in the future. A larger prospective cohort study investigating the factors related to the recovery of visual function after SMILE will provide more definitive evidence.

Our findings suggest that SMILE is a predictable, effective, and safe modality for correcting myopic anisometropia. For anisometropia in adults, the correction of refractive differences can bring about an improvement in stereoscopic function. The precise and individualized design of the nomogram is a vital element to ensure the balance of both eyes after SMILE.

ACKNOWLEDGEMENTS

Foundations: Supported by the National Natural Science Foundation of China (No.81970832; No.81870650); the Key Project of the Chongqing Health Commission (No.2018MSXM003; No.2018GDRC008); Natural Science Foundation of Chongqing Science and Technology Bureau (No.cstc2021jcyj-msxmX0967).

Conflicts of Interest: Zhang T, None; Zhu L, None; Zuo HJ, None; Chen ZJ, None; Ji Y, None; Yang X, None; Lu XR, None; Wu Q, None; Wang Q, None; Xia JY, None; Li M, None; Zhou CJ, None; Wang Y, None; Hu K, None; Wan WJ, None.

REFERENCES

- 1 Weakley DR. The association between nonstrabismic anisometropia, amblyopia, and subnormal binocularity. *Ophthalmology* 2001; 108(1):163-171.
- 2 Gabai A, Zeppieri M. Anisometropia. 2023. In: StatPearls [Internet].
- 3 Nunes AF, Batista M, Monteiro P. Prevalence of anisometropia in children and adolescents. *F1000Res* 2021;10:1101.
- 4 Alió JL, Wolter NV, Piñero DP, *et al.* Pediatric refractive surgery and its role in the treatment of amblyopia: meta-analysis of the peer-reviewed literature. *J Refract Surg* 2011;27(5):364-374.
- 5 Zhang FX, Sugar A, Jacobsen G, Collins M. Visual function and patient satisfaction: comparison between bilateral diffractive multifocal intraocular lenses and monovision pseudophakia. J Cataract Refract Surg 2011;37(3):446-453.
- 6 Kim TI, Alió del Barrio JL, Wilkins M, Cochener B, Ang M. Refractive surgery. *Lancet* 2019;393(10185):2085-2098.
- 7 Lang M, Cao KW, Liu T, Zhu Y, Ye J. Five-year results of refractive outcomes and vision-related quality of life after SMILE for the correction of high myopia. *Int J Ophthalmol* 2021;14(9):1365-1370.
- 8 Zhao PF, Hu YB, Wang Y, *et al.* Comparison of correcting myopia and astigmatism with SMILE or FS-LASIK and postoperative higher-order aberrations. *Int J Ophthalmol* 2021;14(4):523-528.
- 9 Zhang J, Zhuang J, Yu KM. Posterior chamber phakic intraocular lens for the correction of high myopic anisometropic amblyopia in adults.

Int J Ophthalmol 2018;11(11):1870-1874.

- 10 Li HY, Ye Z, Li ZH. Postoperative efficacy, safety, predictability, and visual quality of implantable collamer lens implantation versus small incision lenticule extraction in myopic eyes: a Meta-analysis. *Int J Ophthalmol* 2023;16(3):442-452.
- 11 Tian CY, Peng XJ, Fan ZJ, Yin ZQ. Corneal refractive surgery and phakic intraocular lens for treatment of amblyopia caused by high myopia or anisometropia in children. *Chin Med J* 2014;127(11): 2167-2172.
- 12 Zhang J, Yu KM. Femtosecond laser corneal refractive surgery for the correction of high myopic anisometropic amblyopia in juveniles. *Int J Ophthalmol* 2017;10(11):1678-1685.
- 13 Shapira Y, Vainer I, Mimouni M, Levartovsky S, Sela T, Munzer G, Kaiserman I. Effect of anisometropia on the predictability and accuracy of refractive surgery. *Cornea* 2016;35(11):1410-1415.
- 14 Wu F, Yin HF, Yang YB. Evaluation of the difference between predicted and measured central corneal thickness reduction after SMILE and femtosecond laser-assisted LASIK for myopia. *Curr Eye Res* 2021;46(8):1089-1095.
- 15 Fernández J, García-Montesinos J, Martínez J, Piñero DP, Rodríguez-Vallejo M. Clinical analysis of central islands after small incision lenticule extraction (SMILE). *Curr Eye Res* 2021;46(8):1154-1158.
- 16 Wang D, Li Y, Sun MS, Guo N, Zhang FJ. Lenticule thickness accuracy and influence in predictability and stability for different refractive errors after SMILE in Chinese myopic eyes. *Curr Eye Res* 2019;44(1):96-101.
- 17 Liang G, Chen X, Zha X, Zhang FJ. A nomogram to improve predictability of small-incision lenticule extraction surgery. *Med Sci Monit* 2017;23:5168-5175.
- 18 Kim JR, Kim BK, Mun SJ, Chung YT, Kim HS. One-year outcomes of small-incision lenticule extraction (SMILE):mild to moderate myopia vs. high myopia. BMC Ophthalmol 2015;15:59.
- 19 Ang M, Farook M, Htoon HM, Mehta JS. Randomized clinical trial comparing femtosecond LASIK and small-incision lenticule extraction. *Ophthalmology* 2020;127(6):724-730.
- 20 Sekundo W, Kunert KS, Blum M. Small incision corneal refractive surgery using the small incision lenticule extraction (SMILE) procedure for the correction of myopia and myopic astigmatism: results of a 6 month prospective study. *Br J Ophthalmol* 2011; 95(3):335-339.
- 21 Denoyer A, Landman E, Trinh L, Faure JF, Auclin F, Baudouin C. Dry eye disease after refractive surgery: comparative outcomes of small incision lenticule extraction versus LASIK. *Ophthalmology* 2015;122(4):669-676.
- 22 Ishii R, Shimizu K, Igarashi A, Kobashi H, Kamiya K. Influence of femtosecond lenticule extraction and small incision lenticule extraction on corneal nerve density and ocular surface: a 1-year prospective, confocal, microscopic study. *J Refract Surg* 2015;31(1):10-15.
- 23 Damgaard IB, Sejersen H, Ivarsen A, Hjortdal J. 7-year results of SMILE for high myopia: visual and refractive outcomes and

aberrations. J Refract Surg 2021;37(10):654-661.

- 24 Xia F, Shen Y, Han T, Zhao J, Xu HP, Zhou XT. Small incision lenticule extraction (SMILE) for moderate and high myopia: sevenyear outcomes of refraction, corneal tomography, and wavefront aberrations. *J Ophthalmol* 2020;2020:3825864.
- 25 Zhong YY, Li M, Han T, Fu D, Zhou XT. Four-year outcomes of small incision lenticule extraction (SMILE) to correct high myopic astigmatism. *Br J Ophthalmol* 2021;105(1):27-31.
- 26 Tülü Aygün B, Çankaya Kİ, Ağca A, Yıldırım Y, Yıldız BK, Sucu ME, Kandemir Beşek N, Demirok A. Five-year outcomes of smallincision lenticule extraction vs femtosecond laser-assisted laser *in situ* keratomileusis: a contralateral eye study. *J Cataract Refract Surg* 2020;46(3):403-409.
- 27 Zhu L, Ji Y, Yang X, Lu XR, Wu Q, Wang Q, Xia JY, Li M, Hu K, Wan WJ. Corneal morphological changes after small incision lenticule extraction for myopic anisometropia. *Front Med* 2022;9:977586.
- 28 Taneri S, Kießler S, Rost A, Schultz T, Dick HB. Clinical outcomes of small incision lenticule extraction versus advanced surface ablation in low myopia. *Eur J Ophthalmol* 2020;30(6):1278-1286.
- 29 Sánchez-González JM, Alonso-Aliste F. Visual and refractive outcomes of 100 small incision lenticule extractions (SMILE) in moderate and high myopia: a 24-month follow-up study. *Graefes Arch Clin Exp Ophthalmol* 2019;257(7):1561-1567.
- 30 Gawęcki M. Threshold values of myopic anisometropia causing loss of stereopsis. J Ophthalmol 2019;2019:2654170.

- 31 Krarup TG, Nisted I, Christensen U, Kiilgaard JF, la Cour M. The tolerance of anisometropia. *Acta Ophthalmol* 2020;98(4):418-426.
- 32 Eissa S, Badr Eldin N. ICL versus SMILE in management of anisometropic myopic amblyopia in children. *Can J Ophthalmol* 2018;53(6):560-567.
- 33 Singh B, Sharma S, Bharti N, Singh A, Dadia S, Bharti S. Visual outcomes after refractive laser corneal surgery and phakic IOL in amblyopic eyes. *Int Ophthalmol* 2020;40(11):2827-2834.
- 34 Messerschmidt-Roth A, Sekundo W, Lazaridis A, Schulze S. Three years follow-up study after refractive small incision lenticule extraction (SMILE) using 500kHz femtosecond laser in "fast mode". *Klin Monbl Augenheilkd* 2017;234(1):102-108.
- 35 Vuori E, Tervo TM, Holopainen MV, Holopainen JM. Improvement of visual acuity following refractive surgery for myopia and myopic anisometropia. *J Refract Surg* 2007;23(5):447-455.
- 36 Qian YS, Huang J, Zhou XT, Wang Y. Comparison of femtosecond laser small-incision lenticule extraction and laser-assisted subepithelial keratectomy to correct myopic astigmatism. *J Cataract Refract Surg* 2015;41(11):2476-2486.
- 37 Liu J, Wang Y. Influence of preoperative keratometry on refractive outcomes for myopia correction with small incision lenticule extraction. J Refract Surg 2020;36(6):374-379.
- 38 Cui T, Wang Y, Ji SF, Li Y, Hao WT, Zou HH, Jhanji V. Applying machine learning techniques in nomogram prediction and analysis for SMILE treatment. *Am J Ophthalmol* 2020;210:71-77.